FANTASIA

HIGH PERFORMANCE WOVENS

Wallcoverings • Panels • Exhibits • Partitions

This multi-dimensional design is a classic style in the tradition of raw silk with its complex color combinations and rich, nubby texture.

SPECIFICATIONS

WIDTH:	54"	BACKING:	Acrylic Latex
TOTAL WEIGHT:	16 oz. per linear yard	INSTALLATION:	Non-Reversible / Random Match
FINISH:	StainGuard	CONTENT:	100% Polyester

PERFORMANCE

FLAMMABILITY:	Passes ASTM E-84 Class A		
	Tested in Accordance with CAN/ULC-S102		
	Tested in Accordance with (EN13501): B-s1,d0 rating		
COLORFASTNESS TO LIGHT:	(AATCC Method 16): Class 4 (40 hours)		
ABRASION RESISTANCE:	(ASTM D4157) Exceeds 30,000 Wyzenbeek Double Rubs		

QUALITY STANDARDS

ENVIRONMENTAL:	Created with No PVC, No Heavy Metals or Formaldehyde,
	No ODSs, No Phthalates, No VOCs
CLEANING CODE:	WS & BC - Water/Solvent & Bleach Cleanable

INSTALLATION

Customs available upon request. Color & Texture May Vary Slightly Due to the Reflective Quality of the Yarn. Installation and maintenance instructions are enclosed with every shipment and should be carefully read prior to installation. For best results, it is recommended that a qualified textile wallcovering installer be employed.

WARRANTY

5-year limited warranty against manufacturing defects.

USAGE AREAS					
HEALTH CARE • Retirement Facilities • Nursing Homes • Hospitals • Nursing Stations	HOSPITALITY • Ball Rooms • Conference Rooms • Meeting Rooms DESIGNERS • Commercial Interiors Market	ENTERTAINMENT • Theatres • Recreational Centers CORPORATE • Executive Conference Rooms • General Offices	INSTITUTIONAL • Schools (Auditorium) • Government & Mass Trans. Buildings • Day Care Center		





Made in the U.S.A.

The assigned numerical reading and other tests referenced in this text are not intended to reflect hazards presented by this or any other material under actual fire cognitions. Consult an architect or fire safety engineer for information on applicable building codes and reduction of fire hazards, including the use of sprinklers.