

HIGH PERFORMANCE WOVENS

Wallcoverings • Panels • Exhibits • Partitions

This refined PVC-free wallcovering, woven with high performance multi-colored yarns, balances color, reflection,

and depth with visual industrial rhythm. This durable textile meets or exceeds Type II for any commercial space.

SPECIFICATIONS

WIDTH:	54"	BACKING:	Non-Woven
TOTAL WEIGHT:	18.7 oz. per linear yard	INSTALLATION:	Non-Reversible / Random Match
FINISH:	Finish-Free	CONTENT:	100% Polyethylene

PERFORMANCE

MEETS OR EXCEEDS TYPE II:	Lightfastness, Washability, Scrubbability, Breaking Strength, Crocking Resistance, Stain
	Resistance, Tear Resistance, Blocking Resistance, Cold Cracking, Heat Aging & Shrinkage
FLAMMABILITY:	Passes ASTM E-84 Class A
	Tested in Accordance with CAN/ULC-S102
ABRASION RESISTANCE:	(ASTM D4157) Exceeds 500,000 Wyzenbeek Double Rubs
QUALITY STANDARDS	

ENVIRONMENTAL:	PVC-Free, Low-VOC, Free of Intentionally Added PFAS
CLEANING CODE:	WS & BC – Water/Solvent & Bleach Cleanable
INDOOR AIR QUALITY:	Low V.O.C. Emitting Wallcoverings Meets California Department of Health Services
	Section 01350 Requirements for Office and School Interior
LEED CONTRIBUTION:	Can Contribute Towards LEED Points

INSTALLATION

Color & texture may vary slightly due to the reflective quality of the yarn. Installation and maintenance instructions are enclosed with every shipment and should be carefully read prior to installation. For best results, it is recommended that a qualified textile wallcovering installer be employed. Customs available upon request.

WARRANTY

Н

•

• 1

•

5-year limited warranty against manufacturing defects.

IEALTH CARE Retirement Facilities Nursing Homes Hospitals Nursing Stations	HOSPITALITY • Ball Rooms • Conference Rooms • Meeting Rooms DESIGNERS • Commercial Interiors Market	E · · ·

USAGE AREAS

- ENTERTAINMENT
- Theatres
- Recreational Centers

CORPORATE

- Executive Conference Rooms
 - General Offices

INSTITUTIONAL

- Schools (Auditorium)
- Government & Mass Trans. Buildings
- Day Care Center





The assigned numerical reading and other tests referenced in this text are not intended to reflect hazards presented by this or any other material under actual fire cognitions. Consult an architect or fire safety engineer for information on applicable building codes and reduction of fire hazards, including the use of sprinklers.