TEMPO

HIGH PERFORMANCE WOVENS

Wallcoverings • Panels • Exhibits • Partitions

A succession of alternating raised brick rectangles in matte and sheen weave a modest horizontal texture with light play and ambiance. The pattern provides a beautiful backdrop perfect for projects from the most elegant ballroom to a casual sitting area.

SPECIFICATIONS

WIDTH: TOTAL WEIGHT: FINISH: BACKING:	54" 13 oz. per linear yard Stain Repellent Acrylic		INSTALLATION: CONTENT:	Non-Reversible / Random Match 54% Polyester, 15% Post-Industrial Recyclable Polyester, 11% Post-Consumer Recycled Polyester, 20% Olefin
	E			
FLAMMABILITY:		Passes ASTM E-84 Class A Tested in Accordance with CAN/ULC-S102		
		Tested in Accordance with (EN13501): B-s1,d0 rating		
COLORFASTNESS TO LIGHT:		(AATCC Method 16): Class 5 (40 hours)		
COLORFASTNESS TO CROCKING:		(AATCC Method 8): Class 3 (Wet), Class 4 (Dry)		
ABRASION RESISTANCE:		(ASTM D4157) Exceeds 100,000 Wyzenbeek Double Rubs		
QUALITY STAN	DARDS			
ENVIRONMENTAL:		Created with No PVC, No Heavy Metals or Formaldehyde,		
		No ODSs, No Phthalates, No VOCs		
SUSTAINABLE MATERIALS:		Produced Using Recycled Content		
CLEANING CODE:		WS & BC – Water/Solvent & Bleach Cleanable		
LEED CONTRIBUTION:		Can Contribute Towards LEED Points		
INSTALLATION				

Color & texture may vary slightly due to the nature of the fiber & structure. Installation and maintenance instructions are enclosed with every shipment and should be carefully read prior to installation. For best results, it is recommended that a qualified textile wallcovering installer be employed.

WARRANTY

5-year limited warranty against manufacturing defects.

USAGE AREAS HOSPITALITY ENTERTAINMENT INSTITUTIONAL HEALTH CARE • Ball Rooms • Theatres • Retirement Facilities • Schools (Auditorium) Conference Rooms • Recreational Centers • Nursing Homes • Government & Mass Trans. Buildings • Meeting Rooms • Hospitals CORPORATE • Day Care Center • Nursing Stations DESIGNERS • Executive Conference Rooms Commercial Interiors Market • General Offices





The assigned numerical reading and other tests referenced in this text are not intended to reflect hazards presented by this or any other material under actual fire cognitions. Consult an architect or fire safety engineer for information on applicable building codes and reduction of fire hazards, including the use of sprinklers.